## **AMENDMENT TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims

## 1-14. (**Canceled**)

15. **(Currently amended)** A therapeutic method for a cancer, comprising the steps of: extracting cancer cells from a patient suffering from a cancer;

confirming that the cancer cells <u>from a patient</u> are expressing excessive c-Kit kinase or a mutant c-Kit kinase; and

administering to the patient a pharmacologically effective dose of a compound represented by the general formula (I), or a salt thereof or a hydrate of the foregoing:

wherein R<sup>1</sup> represents methyl, 2-methoxyethyl or a group represented by the formula (II):

$$R^{a3} \xrightarrow{N} \qquad R^{a3} \xrightarrow{N} \qquad X^{2} C_{S_{3}}$$

$$(II)$$

wherein R<sup>a3</sup> represents methyl, cyclopropylmethyl or cyanomethyl; R<sup>a1</sup> represents hydrogen, fluorine or hydroxyl; and R<sup>a2</sup> represents 1-pyrrolydinyl, 1-piperidinyl, 4-morpholinyl, dimethylamino or diethylamino;

 $R^2 \ represents \ cyano \ or \ -CONHR^{a4} \ wherein \ R^{a4} \ represents \ hydrogen, \ C_{1-6} \ alkyl, \ C_{3-8} \ cycloalkyl, \ C_{1-6} \ alkoxy \ or \ C_{3-8} \ cycloalkoxy;$ 

 $R^3$  represents hydrogen, methyl, trifluoromethyl, chlorine or fluorine; and  $R^4$  represents hydrogen, methyl, ethyl, n-propyl, cyclopropyl, 2-thiazolyl or 4-fluorophenyl,

wherein the cancer is acute myelogenous leukemia, mast cell leukemia, small cell lung cancer, gastrointestinal stromal tumors, testicular cancer, ovarian cancer, breast cancer, brain cancer, neuroblastoma or colorectal cancer.

16. **(Currently amended)** A therapeutic method for mastocytosis, allergy or asthma, comprising administering to a patient suffering from the disease, a pharmacologically effective dose of a compound represented by the general formula (I), or a salt thereof or a hydrate of the foregoing:

wherein R<sup>1</sup> represents methyl, 2-methoxyethyl or a group represented by the formula (II):

$$R^{a3} \xrightarrow{N} \qquad R^{a3} \xrightarrow{N} \qquad X^{2} \xrightarrow{X^{2}} \qquad (II)$$

wherein R<sup>a3</sup> represents methyl, cyclopropylmethyl or cyanomethyl; R<sup>a1</sup> represents hydrogen, fluorine or hydroxyl; and R<sup>a2</sup> represents 1-pyrrolydinyl, 1-piperidinyl, 4-morpholinyl, dimethylamino or diethylamino;

 $R^2$  represents cyano or -CONHR<sup>a4</sup> wherein  $R^{a4}$  represents hydrogen,  $C_{1-6}$  alkyl,  $C_{3-8}$  cycloalkyl,  $C_{1-6}$  alkoxy or  $C_{3-8}$  cycloalkoxy;

 $R^3$  represents hydrogen, methyl, trifluoromethyl, chlorine or fluorine; and  $R^4$  represents hydrogen, methyl, ethyl, n-propyl, cyclopropyl, 2-thiazolyl or 4-fluorophenyl.

17. **(Currently amended)** A method comprising applying to a cell expressing excessive c-Kit kinase or a mutant c-Kit kinase, a pharmacologically effective dose of a compound represented by the general formula (I)<sub>5</sub> or a salt thereof or a hydrate of the foregoing:

wherein R<sup>1</sup> represents methyl, 2-methoxyethyl or a group represented by the formula (II):

$$R^{a3} \xrightarrow{N} \qquad R^{a3} \xrightarrow{N} \qquad X^{2} \xrightarrow{X} \qquad (II)$$

wherein  $R^{a3}$  represents methyl, cyclopropylmethyl or cyanomethyl;  $R^{a1}$  represents hydrogen, fluorine or hydroxyl; and  $R^{a2}$  represents 1-pyrrolydinyl, 1-piperidinyl, 4-morpholinyl, dimethylamino or diethylamino;

 $R^2 \ \text{represents cyano or -CONHR}^{a4} \ \text{wherein } R^{a4} \ \text{represents hydrogen, } C_{1\text{-}6} \ \text{alkyl, } C_{3\text{-}8}$  cycloalkyl,  $C_{1\text{-}6} \ \text{alkoxy or } C_{3\text{-}8} \ \text{cycloalkoxy;}$ 

 $R^3$  represents hydrogen, methyl, trifluoromethyl, chlorine or fluorine; and  $R^4$  represents hydrogen, methyl, ethyl, n-propyl, cyclopropyl, 2-thiazolyl or 4-

- 18. **(Currently amended)** The method according to claim 42 <u>16</u>, wherein the compound represented by the formula(I) is 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide.
- 19. **(Original)** The method according to claim 15, wherein the compound represented by the formula(I) is 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-

fluorophenyl.

quinolinecarboxamide.

20. **(Original)** The method according to claim 17, wherein the compound represented by the formula(I) is 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide.